




- Compact Dimensions
- Potentiometric Output
- 1 to 250 Turns
- Very Long Life
- Excellent Linearity
- High Resolutions



Potentiometric connection
(Voltage Divider)


Connections

| | |
|---|--------|
| 1 | Red |
| 2 | Yellow |
| 3 | Black |

Technical Specifications

| | |
|-------------------|--|
| Power Supply | 24 VDC |
| Output | Potentiometric |
| Turns | 1 to 250 |
| Mechanical Fixing | Adjustable Snap-On Clamp or M10 Screw on Frontside |
| Shaft | Stainless Steel |
| Housing | Aluminum |
| Reverse Voltage | Yes, only feeder |
| Cable Length | 2 meters (Optional other lengths) |
| Temperature Range | -25 to +85° |

Mechanical Dimensions



| Turns | A |
|-------|------|
| 10 | 42 |
| 25 | 49,5 |
| 50 | 62 |
| 75 | 74,5 |
| 100 | 87 |
| 150 | 112 |
| 200 | 137 |
| 250 | 162 |

Order Code

Model

MTP

150

Revolutions

1 to 250 Revolutions



Atek Sensor Technology A.S.

Tuzla KOSB Organize Sanayi Bolgesi Melek Aras Bulvari No:67 PK:34956 Tuzla / Istanbul - TURKEY

Tel: +90 216 399 44 04

Fax: +90 216 399 44 02

www.alfasanayi.com

info@alfasanayi.com




- Compact Dimensions
- 4-20 mA Current Output
- 1 to 250 Turns
- Very Long Life
- Excellent Linearity
- High Resolutions

| Connections | |
|-------------|--------|
| + 24 VDC | Red |
| 4-20 mA | Yellow |
| GND | Black |

| Technical Specifications | |
|--------------------------|--|
| Power Supply | 24 VDC |
| Output | 4...20 mA |
| Turns | 1 to 250 |
| Mechanical Fixing | Adjustable Snap-On Clamp or M10 Screw on Frontside |
| Shaft | Stainless Steel |
| Housing | Aluminum |
| Reverse Voltage | Yes, only feeder |
| Cable Length | 2 meters (Optional other lengths) |
| Temperature Range | -25 to +85° |

Mechanical Dimensions



| Turns | A |
|-------|-------|
| 10 | 92 |
| 25 | 99,5 |
| 50 | 112 |
| 75 | 124,5 |
| 100 | 137 |
| 150 | 162 |
| 200 | 187 |
| 250 | 212 |

Order Code

Model

MTP

150

Revolutions

1 to 250 Revolutions

Output Signal

A : 4-20 mA Current Output

A



Atek Sensor Technology A.S.

Tuzla KOSB Organize Sanayi Bolgesi Melek Aras Bulvari No:67 PK:34956 Tuzla / Istanbul - TURKEY

Tel: +90 216 399 44 04

Fax: +90 216 399 44 02

www.alfasanayi.com

info@alfasanayi.com



- Compact Dimensions
- 0 - 10 VDC Analog Output
- 1 to 250 Turns
- Very Long Life
- Excellent Linearity
- High Resolutions


Connections

| | |
|------------------------|--------|
| + 24 VDC | Red |
| 0-10 VDC Analog | Yellow |
| GND | Black |

Technical Specifications

| | |
|--------------------------|--|
| Power Supply | 24 VDC |
| Output | 0-10 VDC Analog Output |
| Turns | 1 to 250 |
| Mechanical Fixing | Adjustable Snap-On Clamp or M10 Screw on Frontside |
| Shaft | Stainless Steel |
| Housing | Aluminum |
| Reverse Voltage | Yes, only feeder |
| Cable Length | 2 meters (Optional other lengths) |
| Temperature Range | -25 to +85° |

Mechanical Dimensions



| Turns | A |
|-------|-------|
| 10 | 92 |
| 25 | 99,5 |
| 50 | 112 |
| 75 | 124,5 |
| 100 | 137 |
| 150 | 162 |
| 200 | 187 |
| 250 | 212 |

Order Code

Model

MTP

150

Revolutions

1 to 250 Revolutions

Output Signal

V : 0-10 VDC Analog Output

V



Atek Sensor Technology A.S.

Tuzla KOSB Organize Sanayi Bolgesi Melek Aras Bulvari No:67 PK:34956 Tuzla / Istanbul - TURKEY

Tel: +90 216 399 44 04

Fax: +90 216 399 44 02

www.alfasanayi.com

info@alfasanayi.com



Address / Endereço:

Rua Sete de Setembro, 2656
13560-181 - São Carlos - SP
Brazil / Brasil

Phone / Telefone:

+55 (16) 3371-0112
+55 (16) 3372-7800

Internet:

www.metrolog.net
metrolog@metrolog.net