



Introduction

The T24-ANTA, T24-ANTB and T24-ANTC can be integrated with any of the T24 modules which are factory fitted with UFL antenna connectors such as the external antenna options of the acquisition modules (T24-SAe, T24-IAe, T24-VAe). Options also exist for antennas to be fitted to other modules within the T24 range.


The T24-ANTA is a PCB antenna designed to be fitted inside a plastic enclosure. Cable length 100 mm (4") UFL-UFL.

The T24-ANTB is a whip antenna with a fixed 90 degree elbow designed for mounting externally. Cable length 100 mm (4") UFL - Reversed SMA.

The T24-ANTC is a whip antenna with a variable angled elbow for mounting externally. Cable length 100 mm (4") UFL - Reversed SMA.

Specification at a Glance

- Approved telemetry antenna options for various T24 modules
- External antennas are weatherised
- UFL antenna connectors



User Benefits

- 3 different versions (PCB, fixed, variable )
- Up to 200 m range
- Offers flexibility to OEM installers
- Surface & bulkhead options

Ideal Application

- Construction
- Lifting & Weighing
- Process Manufacturing
- Energy & Power
- Agriculture
- Automotive



## Related Product



**T24-SAe**  
Strain gauge to radio telemetry converter



**T24-Safe**  
Strain gauge to radio telemetry converter 2kHz



**T24-VAe**  
Voltage to wireless converter



**T24-IAe**  
Current to radio telemetry converter



**T24-RAe**  
Wireless potentiometer for displacement sensor.



**T24-TAe**  
Wireless acquisition for temperature measurement equipment



**T24-PAe**  
Pulse to wireless telemetry converter

## CE & Environmental

Storage temperature	- 40 to +85°C
Operating temperature	- 20 to +85°C
Relative humidity	95% maximum non condensing

### CE Environmental Approvals

European EMC Directive	2004/108/EC
Low Voltage Directive	2006/95/EC

*For more information contact us today...*

mantracourt.com  
 technical@mantracourt.com  
 Mantracourt Electronics Ltd  
 The Drive, Farringdon, Exeter,  
 Devon, EX5 2JB, UK  
 tel: +44 (0) 1395 232020  
 fax: +44 (0) 1395 233190



Designed, manufactured  
and supported in the UK



In the interests of continued product development, Mantracourt Electronics Limited reserves the right to alter product specifications without prior notice

## Distribuidor

**Brasil e América do Sul**

### CONTATO

#### Endereço

Rua Sete de Setembro, 2656 - Centro  
13560-181 - São Carlos - SP - Brasil

#### Telefone

+ 55 (16) 3371-0112  
+ 55 (16) 3372-7800

#### Internet

[www.metrolog.net](http://www.metrolog.net)  
[metrolog@metrolog.net](mailto:metrolog@metrolog.net)

