



Introduction

The T24-ANTA, T24-ANTB and T24-ANTC can be integrated with any of the T24 modules which are factory fitted with UFL antenna connectors such as the external antenna options of the acquisition modules (T24-SAe, T24-IAe, T24-VAe). Options also exist for antennas to be fitted to other modules within the T24 range.

The T24-ANTA is a PCB antenna designed to be fitted inside a plastic enclosure. Cable length 100 mm (4") UFL-UFL.

The T24-ANTB is a whip antenna with a fixed 90 degree elbow designed for mounting externally. Cable length 100 mm (4") UFL - Reversed SMA.

The T24-ANTC is a whip antenna with a variable angled elbow for mounting externally. Cable length 100 mm (4") UFL - Reversed SMA.

Specification at a Glance

- Approved telemetry antenna options for various T24 modules
- External antennas are weatherised
- UFL antenna connectors



User Benefits

- 3 different versions (PCB, fixed, variable)
- Up to 200 m range
- Offers flexibility to OEM installers
- Surface & bulkhead options

Ideal Application

- Construction
- Lifting & Weighing
- Process Manufacturing
- Energy & Power
- Agriculture
- Automotive



Related Product



T24-SAe
Strain gauge to radio telemetry converter



T24-Safe
Strain gauge to radio telemetry converter 2kHz



T24-VAe
Voltage to wireless converter



T24-IAe
Current to radio telemetry converter



T24-RAe
Wireless potentiometer for displacement sensor.



T24-TAe
Wireless acquisition for temperature measurement equipment



T24-PAe
Pulse to wireless telemetry converter

CE & Environmental

Storage temperature	- 40 to +85°C
Operating temperature	- 20 to +85°C
Relative humidity	95% maximum non condensing

CE Environmental Approvals

European EMC Directive	2004/108/EC
Low Voltage Directive	2006/95/EC

For more information contact us today...

mantracourt.com
 technical@mantracourt.com
 Mantracourt Electronics Ltd
 The Drive, Farringdon, Exeter,
 Devon, EX5 2JB, UK
 tel: +44 (0) 1395 232020
 fax: +44 (0) 1395 233190



In the interests of continued product development, Mantracourt Electronics Limited reserves the right to alter product specifications without prior notice

Distribuidor

Brasil e América do Sul

CONTATO

Endereço

Rua Sete de Setembro, 2656 - Centro
13560-181 - São Carlos - SP - Brasil

Telefone

+ 55 (16) 3371-0112
+ 55 (16) 3372-7800

Internet

www.metrolog.net
metrolog@metrolog.net

